



**MONTGOMERY COLLEGE
STANDARD OPERATING
PROCEDURES**

Page:	1 of 4
Last Modified:	5/29/2020
Last Reviewed:	
Approved:	Sharmila Pradhan

Subject: Directions for Respiratory Protection

INTENDED AUDIENCE: All Campuses, All Departments

PURPOSE : To provide guidance to Montgomery College Departments on respiratory protection requirements.

DEFINITIONS

Masks: Masks generally refer to surgical type masks, or procedure masks. They are intended for prevention of droplet contamination during medical procedures. Personnel are not fit tested for masks.

Face Covering: A cloth face covering is a material that covers the nose and mouth. It can be secured to the head with ties or straps or simply wrapped around the lower face. It can be made of a variety of materials such as: cotton, silk, or linen. A cloth face covering may be factory-made or sewn by hand, or it can be improvised from household items such as scarfs, T-shirts, sweatshirts, or towels. They are not tested but it is generally believed that face coverings prevent the spread of droplets from coughing or sneezing.

Respirators: Respirators are respiratory protection approved by the National Institute for Occupational Safety and Health (NIOSH).

Filtering Face Piece: A NIOSH approved respirator made of disposable materials that is one-time use only. A negative pressure particulate respirator with a filter as an integral part of the facepiece or with the entire facepiece composed of the filtering medium. The most common type of Filtering Facepiece respirator used by healthcare workers is the N95 mask. N95 is a NIOSH rating, not a brand of style.

Half-Face Respirator: It is a tight-fitting, air-purifying respirator with replaceable filters (for particulates) or cartridges or canisters (for gases and vapors). In either case, these are attached to a rubber or silicone facepiece that covers the nose and mouth. This type of respirator can be used instead of a filtering facepiece respirator. Employee using this needs to be fit tested every year. A medical evaluation is also required before wearing this respirator.

Full-Face Respirator: This type of respirator provides a higher level of protection than a half-Facepiece respirator because it has a better seal around the face. Since it covers the user's eyes and face, it can also be used to protect against liquid splashes and irritating vapors. This respirator is a tight-fitting, air-purifying respirator with replaceable filters or cartridges attached to a rubber or silicone facepiece. Employee using this needs to be fit tested every year. A medical evaluation is also required before using this respirator.

Assigned Protection Factor (APF): means the workplace level of respiratory protection that a respirator or class of respirators is expected to provide to employees when the employer implements a continuing, effective respiratory protection program as specified by this section.



**MONTGOMERY COLLEGE
STANDARD OPERATING
PROCEDURES**

Page: 2 of 4

Last Modified: 5/29/2020

Last Reviewed:

Approved: Sharmila Pradhan

Canister or Cartridge: A container with a filter, sorbent, or catalyst, or combination of these items, which removes specific contaminants from the air passed through the container.

Air-purifying respirator: A respirator with an air-purifying filter, cartridge, or canister that removes specific air contaminants by passing ambient air through the air-purifying element.

Fit Test: The use of a protocol to qualitatively or quantitatively evaluate the fit of a respirator on an individual.

Supplied-air respirator (SAR): An atmosphere-supplying respirator for which the source of breathing air is not designed to be carried by the user.

Voluntary Use: use for employee comfort purposes only. No hazard exists that requires the use of a respirator and the use of the respirator does not produce any additional hazard.

NOTE: According to OSHA's COVID-19 guidance, employees in higher education are in the Lower Risk category and require only face coverings in accordance with the state and county Health Department advisories. The determination of whether respirator is required is made by the Environmental Safety Office along with the employee's

POLICY

1. If an employee and/or supervisor believes that a task requires respiratory protection they must contact Environmental Safety for assessment. There are different types of respirators for different tasks, and contaminant. No single respirator protects against all contaminants. A Job Hazard Analysis is performed, along with an Exposure Assessment which may include personal air monitoring.
2. Employees are protected from respiratory hazards through engineering controls that are part of the building ventilation system. For example, fume hoods and portable exhaust in labs; local exhaust in art studios and shop areas.
3. The department supervisor is responsible for implementing the Respiratory Protection Program for his/her department. For a respiratory protection program to be effective, a cooperative effort between the department, the employee and Environmental Safety must occur.
4. If Environmental Safety determines there is a need for respiratory protection program. It is the responsibility of the department to purchase appropriate respirators for the department.

NOTE: Currently there are no known tasks at MC that require the use of respirators under the OSHA Respiratory Protection Standard 29 CFR 134.

PROCEDURES

1. Environmental Safety will determine if specific jobs or activities require the use of respiratory protection. Upon request from the department, Environmental Safety will review a job/activity in the department.
2. Air/personal monitoring in accordance with accepted industrial hygiene practices, may be performed to evaluate a work area or a particular activity. Monitoring will help identify those areas or activities which require engineering controls, administrative controls, or, if those are not feasible, respiratory protection.
3. A medical evaluation will be used to determine if the respirator in itself will not create a hazard for the employee. Once the employee is cleared to use a respirator, Environmental Safety will review the information for voluntary respirator use and the employee will need to read and sign the form [OSHA Appendix D "Information for Voluntary Respirator Use"](#).
4. Respirator selection is determined by Environmental Safety. Only respirators certified by National Institute for Occupational Safety and Health (NIOSH) will be selected. Only respirator models and brands specified by Environmental Safety shall be used.
5. Environmental Safety will recommend to the department supervisor in writing which employees, if any, be included in the Respiratory Protection Program. Written records for all respirators must be maintained. An inventory of all respirators owned by the department, the reasons (hazards/activities) for each respirator, and the NIOSH certificate number for each respirator. A completed copy will be kept by the department and Environmental Safety. See [DEPARTMENT RESPIRATOR INVENTORY FORM](#)

Medical Assessment of Employee Health

Using a respirator may place a physiological burden on employees that can vary with the type of respirator worn, the job and workplace conditions in which the respirator is used, and the medical status of the employee. After it is determined that respiratory protection is necessary:

- A. A physician must evaluate the employee. The physician, through a medical history and a physical, will determine if the employee's health allows him or her to wear a respirator. See [OSHA MEDICAL QUESTIONNAIRE](#).
- B. The results (pass/fail/conditions of use) of the medical evaluation will be reported to Environmental Safety, which will inform the department supervisor.
- C. Physical examination will be conducted annually for all employees who are required to wear respirators and for those who voluntarily choose to use a respirator.

Fit Testing Procedures

1. Before any employee may be required to use a respirator with a negative or positive tight-fitting face-piece, the employee must be fit tested with the same make, model, style, and size respirator that will be used. This applies to all tight-fitting respirators, including air purifying and SCBA.
2. Fit testing will be repeated on an annual basis and usually on the day of the annual physical. See [OSHA MANDATED FIT TESTING PROCEDURES](#)

Employee Training

No employee will be permitted to work with a respirator until he or she has received training in respiratory protection. The training will be provided by Environmental Safety at the time of the fit-testing and will cover the following topics:

- * Explanation of the hazard and what would happen if respiratory protection was not used.
- * Elements of the Respiratory Protection Program and the employee's responsibility.
- * The purpose of the fit test and medical evaluation requirements.
- * Function, capabilities and limitations of the selected respiratory protection.
- * Explanation of the operation of the respirator protection, including how to don, check the fit, and wear the respirator properly.
- * Respirator maintenance including cleaning, inspection and storage.
- * Recognition and handling of emergency situations

REFERENCES

- * [OSHA Respirator Protection Standard 29 CFR 1910.134](#)
- * [OSHA Appendix D "Information for Voluntary Respirator Use"](#)
- * [OSHA Medical Questionnaire](#)
- * [OSHA Mandated Fit Testing Procedures](#)
- * [OSHA Mandatory Respirator Cleaning](#)
- * [OSHA Mandatory Respirator User Seal Check](#)
- * [Frequently Asked Questions About Respirator Seal Checks](#)
- * [Donning and Doffing of Personal Protective Equipment](#)
- * [Seven Steps to Correctly Wear a Respirator at Work \(OSHA\)](#)
- * [CDC Facial Hair and Respirators](#)
- * [How to Perform a Respirator Seal Check](#)



Respirator Voluntary Use Form

Filtering Facepiece Respirators



Montgomery College permits the voluntary use of respirators where employees are not exposed to harmful concentrations of dust or aerosols.

Definition: Filtering facepiece (dust mask) means a negative pressure particulate respirator with a filter as an integral part of the facepiece or with the entire facepiece composed of the filtering medium.

Filtering facepiece respirators should be disposed of and replaced with a new one each time they are removed.

Cartridge Respirators

Voluntary use of any other type of respirator requires a medical evaluation from a physician or clinician prior to use, and a hazard review by Environmental Safety Office.

OSHA Requirement

OSHA requires the following information to be provided to anyone considering the voluntary use of a respirator:

Respirators are an effective method of protection against designated hazards when properly selected and worn. Respirator use is encouraged, even when exposures are below the exposure limit, to provide an additional level of comfort and protection for workers. However, if a respirator is used improperly or not kept clean, the respirator itself can become a hazard to the worker. Sometimes, workers may wear respirators to avoid exposures to hazards, even if the amount of hazardous substance does not exceed the limits set by OSHA standards. If your employer provides respirators for your voluntary use, or if you provide your own respirator, you need to take certain precautions to be sure that the respirator itself does not present a hazard.

You should do the following:

1. Read and heed all instructions provided by the manufacturer on use, maintenance, cleaning and care, and warnings regarding the respirators limitations.
2. Choose respirators certified for use to protect against the contaminant of concern. NIOSH, the National Institute for Occupational Safety and Health of the U.S. Department of Health and Human Services, certifies respirators. A label or statement of certification should appear on the respirator or respirator packaging. It will tell you what the respirator is designed for and how much it will protect you.
3. Do not wear your respirator into atmospheres containing contaminants for which your respirator is not designed to protect against. For example, a respirator designed to filter dust particles will not protect you against gases, vapors, or very small solid particles of fumes or smoke.
4. Keep track of your respirator so that you do not mistakenly use someone else's respirator.

Additional Information

Environmental Safety Office should be contacted prior to the use of a respirator if you have any questions or concerns.

By signing this form you are acknowledging that you have read and understand all of its content.

Printed Name

Form Date: 9/16/2019

Signature

Environmental Safety Office

Date

